



Guidebook Endoscopic Systems

including
FUJIFILM medw^{ork}
therapeutic devices



FUJIFILM
Value from Innovation

SELECTION OF **TECHNOLOGIES**

	LCI (LINKED COLOR IMAGING) Increased contrast in red colour leads to improved visibility of abnormalities, inflammation and delineation.
	BLI (BLUE LIGHT IMAGING) The combination of special light wavelengths results in improved contrast imaging for characterisation.
	CAD EYE This function supports colonic polyp detection and characterisation during colonoscopy, utilising AI technology.
	ONE-STEP CONNECTOR Easy to plug in with an integrated wireless power supply to provide high speed transmission of data.
	G7 GRIP Grip is designed to have a comfortable feel to improve performance and reduce stress.
	WATER JET TECHNOLOGY The Water Jet function aids optimal and constant visualisation for both diagnostic and therapeutic procedures.
	COLOASSIST ADJUST Flexible adjustment to be expected for easier insertion in addition to advanced force transmission and adaptive bending.
	MULTI ZOOM TECHNOLOGY Easy-to-control optical magnification in stepwise or continuous magnification mode.
	HD TECHNOLOGY Combine equipment displaying this logo to ensure that you view HDTV images on your monitor.

CONTENT

ELUXEO™ 700 SERIES ENDOSCOPES	4
600 SERIES ENDOSCOPES	6
500 SERIES ENDOSCOPES	6
ENDOSCOPY SYSTEMS	10
EUS SYSTEMS	12
FIBRESCOPIES	14
SPECIAL ENDOSCOPES	14
PERIPHERAL DEVICES	16
ERCP	18
ESD ACCESSORIES	40
POLYPECTOMY	42
BURIED-BUMPER-THERAPY	46
BIOPSY	46
FOREIGN BODY	48
HAEMOSTASIS	50
DILATION	52
ACCESSORIES	54
MONITORS	62
CARTS	62

ELUXEO™ 700 SERIES ENDOSCOPES

Model	Observation range (mm)	Field of view	Ø Distal end (mm)	Ø Insertion tube (mm)	Ø Working channel (mm)	Bending capability (up/down)	Bending capability (left/right)	Working length (mm)	Image area, forceps & water jet entry	Remarks
-------	------------------------	---------------	-------------------	-----------------------	------------------------	------------------------------	---------------------------------	---------------------	---------------------------------------	---------

Gastrosopes

	ELUXEO™ EG-760R	2–100	140°	9.2	9.3	2.8	210°/90°	100°/100°	1,100		LCI, BLI Water jet
	ELUXEO™ EG-760Z	Normal 3–100 Closest 1.5–2.5	Normal 140° Closest 56°	9.9	9.8	2.8	210°/90°	100°/100°	1,100		LCI, BLI Multi Zoom*1 Water jet
	ELUXEO™ EG-760CT	2–100	140°	10.5	10.8	3.8	210°/90°	100°/100°	1,100		LCI, BLI Water jet
	ELUXEO™ EG-740N	3–100	140°	5.8	5.9	2.4	210°/90°	100°/100°	1,100		LCI, BLI
	ELUXEO™ Lite EG-720R	2–100	140°	9.2	9.3	2.8	210°/90°	100°/100°	1,100		LCI, BLI

Colonoscopes



CAD EYE is a new function to support colonic polyp detection and characterisation during colonoscopy,

utilising AI technology. CAD EYE is compatible with the ELUXEO and ELUXEO Lite system*2. For further information visit www.cadeye.eu.

	ELUXEO™ EC-760R-V/M, I, L	2–100	170°	12.0	12.0	3.8	180°/180°	160°/160°	1,330/1,520/ 1,690		LCI, BLI Water jet "ColoAssist Adjust"
	ELUXEO™ EC-760Z-V/M, L	Normal 3–100 Closest 1.5–2.5	Normal 140° Closest 56°	12.8	12.8	3.8	180°/180°	160°/160°	1,330/1,690		LCI, BLI Multi Zoom*1 Water jet "ColoAssist Adjust"
	ELUXEO™ EC-760ZP-V/M, L	Normal 3–100 Closest 1.5–2.5	Normal 140° Closest 56°	11.7	11.8	3.2	180°/180°	160°/160°	1,330/1,690		LCI, BLI Multi Zoom*1 Water jet "ColoAssist Adjust"
	ELUXEO™ EC-760P-V/M, L	2–100	170°	11.1	11.5	3.2	180°/180°	160°/160°	1,330/1,690		LCI, BLI Water jet "ColoAssist Adjust"
	ELUXEO™ EC-740T/M, L	3–100	140°	9.8	10.7	3.2	210°/160°	160°/160°	1,330/1,690		LCI, BLI Water jet
	ELUXEO™ Lite EC-720R/M, I, L	2–100	170°	12.8	12.8	3.8	180°/180°	160°/160°	1,330/1,520/ 1,690		LCI, BLI Water jet

	G-EYE® 760R-V/M, I, L	2–100	170°	12.0	12.0	3.8	180°/180°	160°/160°	1,330/1,520/ 1,690		Balloon LCI, BLI, Water jet "ColoAssist Adjust"
--	---------------------------------	-------	------	------	------	-----	-----------	-----------	-----------------------	---	---

Manufactured by Smart Medical Systems Ltd. For operation the SPARK™C Inflation System for Controlled Withdrawal™ pressure (incl. Control and Foot Panel, Leak Tester) is needed. The system is compatible with ELUXEO VP/BL-7000 and ELUXEO Lite EP-6000.

*1 Multi Zoom: Optical magnification x 145 with a 26" screen.

*2 For technical specifications see page 10/11.

For information on the product availability in your area, please contact your local partner.

600 SERIES ENDOSCOPES

Model	Observation range (mm)	Field of view	Ø Distal end (mm)	Ø Insertion tube (mm)	Ø Working channel (mm)	Bending capability (up/down)	Bending capability (left/right)	Working length (mm)	Image area, forceps & water jet entry	Remarks
-------	------------------------	---------------	-------------------	-----------------------	------------------------	------------------------------	---------------------------------	---------------------	---------------------------------------	---------

Gastrosopes

	EG-600WR	2-100	140°	9.2	9.3	2.8	210°/90°	100°/100°	1,100		Water jet
--	----------	-------	------	-----	-----	-----	----------	-----------	-------	---	-----------

Colonoscopes

	EC-600WM/WI/WL	2-100	140°	12.0	12.0	3.8	180°/180°	160°/160°	1,330/1,520/1,690		Water jet
--	----------------	-------	------	------	------	-----	-----------	-----------	-------------------	---	-----------

500 SERIES ENDOSCOPES

Model	Observation range (mm)	Field of view	Ø Distal end (mm)	Ø Insertion tube (mm)	Ø Working channel (mm)	Bending capability (up/down)	Bending capability (left/right)	Working length (mm)	Image area, forceps & water jet entry	Remarks
-------	------------------------	---------------	-------------------	-----------------------	------------------------	------------------------------	---------------------------------	---------------------	---------------------------------------	---------

Ultra-slim gastrosopes

	EG-580NW2	3-100	140°	5.8	5.9	2.4	210°/90°	100°/100°	1,100		
	EG-530NP	3-100	120°	4.9	5.1	2.0	210°/120°		1,100		

Gastrosopes

	EG-530D	3-100	140°	11.5	11.5	2.8/3.8	210°/90°	100°/100°	1,090		Dual channel Water jet
--	---------	-------	------	------	------	---------	----------	-----------	-------	---	---------------------------

Duodenoscopes

	ED-580XT	4-60	98° (retro 8°)	13.1	11.3	4.2	120°/90°	90°/110°	1,250		
--	----------	------	-------------------	------	------	-----	----------	----------	-------	---	--

Colonoscopes

	EC-530DM/DL	3-100	140°	12.8	12.8	3.8/2.8	180°/180°	160°/160°	1,330/1,690		Dual channel Water jet
	ES-530WE	3-100	140°	12.8	12.8	3.8	180°/180°	160°/160°	790		Water jet

500 SERIES ENDOSCOPES

Model	Observation range (mm)	Field of view	Ø Distal end (mm)	Ø Insertion tube (mm)	Ø Working channel (mm)	Bending capability (up/down)	Bending capability (left/right)	Working length (mm)	Image area, forceps & water jet entry	Remarks
-------	------------------------	---------------	-------------------	-----------------------	------------------------	------------------------------	---------------------------------	---------------------	---------------------------------------	---------

Double-Balloon Endoscopes

	EN-580T	2-100	140°	9.4	9.3	3.2	180°/180°	160°/160°	2,000		*2
	EN-580XP	2-100	140°	7.5	7.7	2.2	180°/180°	160°/160°	2,000		*3

Short Double-Balloon Endoscope

	EI-580BT	2-100	140°	9.4	9.3	3.2	180°/180°	160°/160°	1,550		*4
--	----------	-------	------	-----	-----	-----	-----------	-----------	-------	---	----

Bronchoscopes

 	EB-580S	2-100	120°	5.3	5.1	2.2	210°/130°		600		*5 LCI, BLI HF-compatible LASER blocking filters (*6)
	EB-580T	2-100	120°	5.8	5.9	2.8	180°/130°		600		*5 HF-compatible LASER blocking filters (*7)
	EB-530H	3-100	140°	5.4	4.9	2.0	180°/130°		600		*5 HF-compatible LASER blocking filters (*6)
	EB-530S	3-100	120°	4.9	4.9	2.0	180°/130°		600		*5 HF-compatible LASER blocking filters (*6)
	EB-530T	3-100	120°	5.8	5.9	2.8	180°/130°		600		*5 HF-compatible LASER blocking filters (*6)
	EB-530P	3-100	120°	3.8	3.8	1.2	180°/130°		600		*5 LASER blocking filters (*6)
	EB-530XT	3-100	120°	6.2	6.3	3.2	180°/130°		600		*5 HF-compatible LASER blocking filters (*6)

*2 Balloon controller PB-30, balloon BS-4 and overtube TS-1314B are required.
Both products are made from non-latex materials.

*3 Balloon controller PB-30, balloon BS-4 and overtube TS-1114B are required.
Both products are made from non-latex materials.

*4 Balloon controller PB-30, balloon BS-2 and overtube TS-13101 are required.

*5 Suction button SB-602 is required.

*6 Diode LASER (810 nm).

*7 Nd-Yag LASER (1064 nm) & Diode LASER (810 nm).

Model	Product Description
-------	---------------------

Video Processors and Light Sources

ELUXEO[®] VP-7000 BL-7000 HD	 ▶ 4 LED Multi Light™ system ▶ Low energy, long-lasting LED light source ▶ BLI, LCI*1 and FICE modes ▶ Wide range of front buttons ▶ Video processor with light source for 700, 600 and 500 system endoscopes ▶ Full HD 1920 x 1080p digital output ▶ DICOM compatible ▶ Applicable to USB Flash memory	▶ Image output connectors: HD-SDI x 2, DVI-D x 2, DVI-I, RGB TV, S-Video, Video ▶ VP-7000 processor 9.0 kg, 390 mm (W) x 110 mm (H) x 485 mm (D) ▶ BL-7000 light source 12 kg, 390 mm (W) x 155 mm (H) x 485 mm (D)
ELUXEO[®] Lite EP-6000 HD	 ▶ Video processor with built-in light source ▶ 3 LED Multi Light™ system ▶ Low energy, long-lasting LED light source ▶ BLI, LCI*1 and FICE modes ▶ Video processor with light source for 700, 600 and 500*2 system endoscopes ▶ Full HD 1920 x 1080p digital output ▶ DICOM compatible ▶ Applicable to USB Flash memory	▶ Image output connectors: DVI-D x 2, RGB TV, S-Video, Video ▶ 15.0 kg, 395 mm (W) x 210 mm (H) x 485 mm (D)
VP-3500HD XL-4450 HD	 ▶ 300 W Xenon lamp ▶ FICE mode ▶ Video processor with light source for 500 and 600 system endoscopes ▶ Full HD 1920 x 1080p digital output ▶ DICOM compatible ▶ Applicable to USB Flash memory	▶ Image output connectors: DVI x 2, RGB TV, S-Video, Video ▶ VP-3500HD processor 8.0 kg, 390 mm (W) x 105 mm (H) x 460 mm (D) ▶ XL-4450 light source 15 kg, 390 mm (W) x 155 mm (H) x 450 mm (D)
Expansion Unit EX-1 HD NEW	 ▶ Compatible processors: VP-7000, EP-6000 ▶ Output: DVI-I x1, DVI-D x1 ▶ Input: DVI-I x1	▶ Power rating: 100-240 VAC +/- 10%, 50/60 Hz, 1.25 to 0.60 A ▶ Dimension: 370.0 x 99.0 x 465.6 mm ▶ Weight: Approx. 7.1 kg
Software EW10-EC02 CADEYE NEW	Package content ▶ USB flash drive for CAD EYE installation for detection and characterisation support	▶ Works with Expansion Unit EX-1 ▶ Compatible with 700 series endoscopes
Software EW10-SC01 DICOM NEW	Package content ▶ USB flash drive for installation basic functions	▶ Movie and still image recording with CAD EYE overlay ▶ Network function: Still image transfer (resolution Full HD/SXGA, format TIFF/JPEG) via FTP/FTPS/Dicom storage and for video recording transfer (resolution Full HD, format MP4) via Samba network protocol ▶ Max. recording time of one file: one hour/internal memory, max. 30 hours ▶ Works with Expansion Unit EX-1 ▶ Compatible with 700/600/500 series endoscopes excl. ultrasonic endoscopes

*1 Endoscopes that can use the special-light observation mode (BLI/LCI):
700 system endoscopes, EB-580S
*2 Excluding 590 series scope, EG-530UT2, EG-530UT, EG-530UR2 and EG-530UR.

Model	Observation range (mm)	Field of view	Ø Distal end (mm)	Ø Insertion tube (mm)	Ø Working channel (mm)	Bending capability (up/down)	Bending capability (left/right)	Working length (mm)	Frequency (MHz)	Scanning method	Remarks
-------	------------------------	---------------	-------------------	-----------------------	------------------------	------------------------------	---------------------------------	---------------------	-----------------	-----------------	---------

Ultrasonic videoscopes

	EG-580UT ¹	3–100	140° (forward/oblique 40°)	13.9	12.4	3.8	150°/150°	120°/120°	1,250	5, 7.5 10, 12	Electronic curved linear array 150°	SU-1
	EG-580UR ²	3–100	140°	11.4	11.5	2.8	190°/90°	100°/100°	1,250	5, 7.5 10, 12	Electronic radial 360°	SU-1
	EB-530US ³	3–100	120° (forward/oblique 10°)	6.7	6.3	2.0	130°/90°		610	5, 7.5 10, 12	Electronic Curved linear array 65°	SU-1

Type	Model	Working length (mm)	Ø Outer diameter (mm)	Frequency (MHz)	Suitable working channel	Scanning method	Remarks
------	-------	---------------------	-----------------------	-----------------	--------------------------	-----------------	---------

Ultrasonic mini probes

P-series for Bronchoscopy	PB2020-M	2,150	1.4 (distal) – 1.9 (proximal)	20.0	Larger than 2.0 mm	Mechanical radial	SP-900
P-series for Gastroenterology	P2620-L	2,620	2.6 max	17.0	Larger than 2.8 mm	Mechanical radial	SP-900

Model	Product Description
-------	---------------------

Ultrasonic processor

SU-1-H	 ▶ 13.0 kg, 390 mm (W) x 135 mm (H) x 485 mm (D), AC 100–240 V ▶ Flat CP-1 keyboard with touch pad or trackball ▶ Probe type: Radial, Curved linear array ▶ Ultrasound scanning mode: 5–12MHz/Power Doppler/Colour Doppler/PW Doppler/M mode/B mode/TH/CH/F-Flow/CHI/Elastography
--------	--

Ultrasonic mini probe processor

SP-900	 ▶ 8 kg, 377 mm (W) x 80 mm (H) x 480 mm (D), AC 100–240 V ▶ CP-900 control pad ▶ Scanning method: mechanical radial ▶ Ultrasound scanning mode: B mode
--------	--

*1 B20UT balloon is necessary
*2 B20UR balloon is necessary
*3 B20BU balloon is necessary

FIBRESCOPIES

Model	Observation range (mm)	Field of view	Ø Distal end (mm)	Ø Insertion tube (mm)	Ø Working channel (mm)	Bending capability (up/down)	Bending capability (left/right)	Working length (mm)	Size of image	Remarks
-------	------------------------	---------------	-------------------	-----------------------	------------------------	------------------------------	---------------------------------	---------------------	---------------	---------

Gastroscope

FG-1Z	3–100	105°	9.5	9.8	2.8	210°/90°	100°/100°	1,030		
-------	-------	------	-----	-----	-----	----------	-----------	-------	---	--

Colonoscope

FC-1Z	3–100	120°	13.0	13.0	3.2	180°/180°	160°/160°	1,660		
-------	-------	------	------	------	-----	-----------	-----------	-------	---	--

Bronchoscopes

FB-120S	1–50	120°	4.8	4.9	2.2	180°/130°		600		HF-compatible
FB-120T	1–50	120°	5.9	5.9	2.8	180°/130°		600		HF-compatible
FB-120P	1–50	100°	2.7	2.8	1.2	180°/130°		600		
FB-120MP	1–50	120°	4.8	4.9	2.2	180°/130°		600		Mobile type + HF-compatible

Model	Product Description
-------	---------------------

Light source

PS2-HP	 Light source for all fibrescopes excluding FB-120MP ▶ Air pump ▶ 150 W halogen lamp ▶ 8.6 kg ▶ 195 mm (W) x 215 mm (H) x 350 mm (D)
--------	--

SPECIAL ENDOSCOPES

Model	Observation range (mm)	Field of view	Ø Distal end (mm)	Ø Insertion tube (mm)	Ø Working channel (mm)	Bending capability (up/down)	Working length (mm)	Size of image
-------	------------------------	---------------	-------------------	-----------------------	------------------------	------------------------------	---------------------	---------------

ENT/Naso-Pharyngo-Laryngoscopes

Fibre – FR-120F	3–50	90°	3.3	3.2		130°/130°	300	
Video – ER-530S2	3–50	90°	2.9	3.2		130°/130°	300	110%
Video – ER-530T	2–50	140°	5.4	4.9	2.0	130°/130°	400	130%

Model	Product Description	
PB-30		Balloon controller for DBE endoscopes ▶ 7 kg (main unit), 145 mm (W) x 170 mm (H) x 410 mm (D) (main unit), AC 100–240 V ▶ Pressure of balloon: 5.6 kPa ± 2 kPa ▶ Max. flow rate of pump: 170 ± 50 ml/10 sec.
JW-2		Water pump for FUJIFILM endoscopes with a water jet channel ▶ Foot switch operation ▶ Flow rate adjustment function ▶ 2.9 kg (main unit) ▶ 145 mm (W) x 130 mm (H) x 265 mm (D) (main unit)
GW-100		CO₂ gas regulator for FUJIFILM endoscopes ▶ Management gas flow: Max. 65 kPa ▶ Applicable to hospital pipeline CO₂ ▶ Change the flow level on the front panel (Standard and low flow) ▶ 6 kg (main unit) ▶ 145 mm (W) x 170 mm (H) x 390 mm (D) (main unit)

Product code	Material code	Characteristics	Cutting Length	Tip ø / Length	Accepted Guide Wire	ø Working Channel	Unit
--------------	---------------	-----------------	----------------	----------------	---------------------	-------------------	------

AXS_tome⁺ – Sphincterotome (3 lumen)

PAP1–D7–20–35	70100147815	Micro-Tip+, CWT	20 mm	4.2 Fr/5 mm	.035"	2.8 mm	5
PAP1–D7–25–35	70100147794	Micro-Tip+, CWT	25 mm	4.2 Fr/5 mm	.035"	2.8 mm	5
PAP1–D7–30–35	70100147795	Micro-Tip+, CWT	30 mm	4.2 Fr/5 mm	.035"	2.8 mm	5
PAP1–D8–20–35	70100147827	Micro-Tip+, monofil, rotatable	20 mm	4.2 Fr/5 mm	.035"	2.8 mm	5
PAP1–D8–25–35	70100147828	Micro-Tip+, monofil, rotatable	25 mm	4.2 Fr/5 mm	.035"	2.8 mm	5
PAP1–D8–30–35	70100147829	Micro-Tip+, monofil, rotatable	30 mm	4.2 Fr/5 mm	.035"	2.8 mm	5
PAP1–P8–25–35	70100147796	Micro-Tip+, monofil, insulated cutting wire (ProCut), rotatable	12.5/12.5 mm proximal insulated	4.2 Fr/5 mm	.035"	2.8 mm	5
PAP1–P8–30–35	70100147825	Micro-Tip+, monofil, insulated cutting wire (ProCut), rotatable	15/15 mm proximal insulated	4.2 Fr/5 mm	.035"	2.8 mm	5

AXS_tome⁺ – Sphincterotome for **easyPure** (3 lumen)

PAP1–Q7–20–35	70100147798	Micro-Tip+, CWT	20 mm	4.2 Fr/5 mm	.035"	3.8 mm	5
PAP1–Q7–25–35	70100147797	Micro-Tip+, CWT	25 mm	4.2 Fr/5 mm	.035"	3.8 mm	5
PAP1–Q7–30–35	70100147832	Micro-Tip+, CWT	30 mm	4.2 Fr/5 mm	.035"	3.8 mm	5
PAP1–S8–20–35	70100147833	Micro-Tip+, monofil, rotatable	20 mm	4.2 Fr/5 mm	.035"	3.8 mm	5
PAP1–S8–25–35	70100147820	Micro-Tip+, monofil, rotatable	25 mm	4.2 Fr/5 mm	.035"	3.8 mm	5
PAP1–S8–30–35	70100147812	Micro-Tip+, monofil, rotatable	30 mm	4.2 Fr/5 mm	.035"	3.8 mm	5
PAP1–T8–25–35	70100147799	Micro-Tip+, monofil, insulated cutting wire (ProCut), rotatable	12.5/12.5 mm proximal insulated	4.2 Fr/5 mm	.035"	3.8 mm	5
PAP1–T8–30–35	70100147800	Micro-Tip+, monofil, insulated cutting wire (ProCut), rotatable	15/15 mm proximal insulated	4.2 Fr/5 mm	.035"	3.8 mm	5

Product code	Material code	Characteristics	Cutting Length	Tip ø / Length	Accepted Guide Wire	Length	ø Working Channel	Unit
--------------	---------------	-----------------	----------------	----------------	---------------------	--------	-------------------	------

Preloaded AXS_tome – Sphincterotome with **GPS Wire** (3 lumen)

PAP1–X7–25–35–450–OL	70100148363	Micro-Tip, CWT, preloaded GPS Wire	25 mm	4.2 Fr/5 mm	.035"/450 cm	200 cm	2.8 mm	5
PAP1–X8–30–35–260–OL	70100146711	Micro-Tip, monofil, preloaded GPS Wire, for short wire technique	30 mm	4.2 Fr/5 mm	.035"/260 cm	200 cm	3.8 mm	5
PAP1–X8–30–35–450–OL	70100146541	Micro-Tip, monofil, preloaded GPS Wire	30 mm	4.2 Fr/5 mm	.035"/450 cm	200 cm	2.8 mm	5

Product code	Material code	Characteristics	Cutting Length	Tip ø / Length	Accepted Guide Wire	Length	ø Working Channel	Unit
--------------	---------------	-----------------	----------------	----------------	---------------------	--------	-------------------	------

AXS_tome – Sphincterotome (3 lumen) ②

PAP1-F8-25-35-OL	70100146602	Micro-Tip, monofil, insulated cutting wire (ProCut)	12.5/12.5 mm proximal insulated	4.2 Fr/5 mm	.035"	200 cm	2.8 mm	5
PAP1-F8-30-35-OL	70100146710	Micro-Tip, monofil, insulated cutting wire (ProCut)	15/15 mm proximal insulated	4.2 Fr/5 mm	.035"	200 cm	2.8 mm	5

AXS_tome – Sphincterotome (2 lumen) ②

PAP1-C2-20-35-OL	70100146538	Micro-Tip, CWT	20 mm		.035"	200 cm	2.0 mm	5
PAP1-C2-25-35-OL	70100146567	Micro-Tip, CWT	25 mm		.035"	200 cm	2.0 mm	5
PAP1-C2-30-35-OL	70100146620	Micro-Tip, CWT	30 mm		.035"	200 cm	2.8 mm	5
PAP1-C5-20-35-OL	70100146568	Micro-Tip, monofil	20 mm		.035"	200 cm	2.8 mm	5
PAP1-C5-30-35-OL	70100146621	Micro-Tip, monofil	30 mm		.035"	200 cm	2.8 mm	5
PAP1-D2-30-21-OL	70100146601	Micro-Tip, CWT, Balloon Enteroscopy	30 mm		.021"	260 cm	2.0 mm	2
PAP1-A2-20-35-OL	70100146619	Precut, CWT	20 mm		.035"	200 cm	2.8 mm	5
PAP1-K2-06-35-OL	70100146562	Needle	6 mm		.035"	200 cm	2.8 mm	5
PAP1-M2-20-35-OL	70100146569	B II, CWT	20 mm		.035"	200 cm	2.8 mm	2
PAP1-N2-20-21-OL	70100146696	B II, CWT, Balloon Enteroscopy	20 mm		.021"	260 cm	2.0 mm	2

AXS_tome – Sphincterotome for (3 lumen, short and long wire) ②

PAP1-F8-30-E35-OL	70100146710	Micro-Tip, monofil, insulated cutting wire (ProCut)	15/15 mm proximal insulated	4.2 Fr/5 mm	.035"	200 cm	3.8 mm	5
PAP1-K8-06-E35-OL	70100146540	Needle	6 mm		.035"	200 cm	3.8 mm	5
PAP1-X8-30-35-260-OL	70100146711	Micro-Tip, monofil, preloaded GPS Wire	30 mm	4.2 Fr/5 mm	.035"	200 cm	3.8 mm	5

AXS_tome – Sphincterotome (1 lumen) ②

PAP1-K1-06-OL	70100146561	Needle	6 mm				2.8 mm	5
PAP1-A1-20-OL	70100146708	Precut, braided wire	20 mm				2.8 mm	5

Product code	Material code	Characteristics
--------------	---------------	-----------------

 – Guidewire fixation ②

SPE1-Y7	70100146823	Guide wire fixation (instrument fork), for Fujifilm and Olympus (from G5 series on)	5
---------	-------------	---	---

Product code	Material code	Characteristics	Length	Accepted Guide Wire	ø Working Channel	Unit
--------------	---------------	-----------------	--------	---------------------	-------------------	------

ERCP – Cannulas ②

CAN1–A3–18–200–35	70100146579	Standard, 1 lumen, radiopaque marking	200 cm	.035"	2.8 mm	5
CAN1–A6–18–200–35	70100146688	Filiform, guide wire port, 1 lumen, radiopaque marking, tapered (2.3/1.8 mm)	200 cm	.035"	2.8 mm	5
CAN1–B3–18–200–35	70100146688	Filiform, 1 lumen, radiopaque marking	200 cm	.035" ≥ 200 cm	3.2 mm	2
CAN1–B3–18–260–35	70100146580	Filiform, 1 lumen, radiopaque marking, Balloon Enteroscopy	200 cm	.035"	2.8 mm	5
CAN1–B4–18–200–35	70100146553	Filiform, 2 lumen, radiopaque marking, tapered (2.3/1.8 mm)	200 cm	.035"	2.8 mm	5
CAN1–B4–18–200–E35	70100146594	Filiform, 2 lumen, radiopaque marking, for short and long wire technique, tapered (2.3/1.8 mm)	200 cm	.035"	2.8 mm	5
CAN1–D5–18–200–35	70100146546	Bottle neck, 1 lumen, metal tip	200 cm	.035" ≥ 200 cm	3.2 mm	2

Product code	Material code	Characteristics	Length	Diameter	Unit
--------------	---------------	-----------------	--------	----------	------

GPS Wire – Guide wires with hydrophilic tip ②

WIR1–S6–35–260	70100146742	Straight, Nitinol, insulated, green/white	260 cm	.035"	5
WIR1–S6–35–450	70100146743	Straight, Nitinol, insulated, green/white	450 mm	.035"	5
WIR1–J6–35–260	70100147764	J-tip, Nitinol, insulated, green/white	260 cm	.035"	5
WIR1–J6–35–450	70100146828	J-tip, Nitinol, insulated, green/white	450 cm	.035"	5

Product code	Material code	Characteristics	Length	Diameter	Unit
--------------	---------------	-----------------	--------	----------	------

Guide wires ②

WIR1–E1–72–260	70100146825	Straight, steel, flexible tip, Eder-Püstow	260 cm	.072"	2
WIR1–F1–18–400	70100146811	Straight, Nitinol, coated	400 cm	.018"	2
WIR1–F1–21–400	70100147809	Straight, Nitinol, coated	400 cm	.021"	5
WIR1–F1–21–500	70100147850	Straight, Nitinol, coated	500 cm	.021"	5
WIR1–F5–25–400	70100146826	Straight, Nitinol, insulated, black/white	400 cm	.025"	2
WIR1–F5–35–400	70100146738	Straight, Nitinol, insulated, black/white	400 cm	.035"	2
WIR1–F7–35–260	70100146812	Straight, Nitinol, coated, extra stiff	260 cm	.035"	2
WIR1–F7–35–400	70100146827	Straight, Nitinol, coated, extra stiff	400 cm	.035"	2

Product code	Material code	Characteristics	ø Balloon	Length	Accepted Guide Wire	ø Working Channel	Unit
--------------	---------------	-----------------	-----------	--------	---------------------	-------------------	------

Stone extraction balloon

BAL1-B2-16-75-200-35	70100146544	Distal radiopaque marking, 2 lumen, tapered (7/5 Fr)	16 mm	200 cm	.035"	2.8 mm	5
BAL1-C2-16-07-200-35	70100146700	Distal radiopaque marking, 2 lumen	16 mm	200 cm	.035"	2.8 mm	5
BAL1-C3-18-07-200-35	70100146700	Distal radiopaque marking, 3 lumen	16 mm	200 cm	.035"	2.8 mm	5
BAL1-C3-18-07-200E35	70100146545	Distal radiopaque marking, tapered, 3 lumen, for short and long wire technique	16 mm	200 cm	.035" ≥ 200 cm	3.2 mm	2

Product code	Material code	Characteristics	ø Basket	Length	Accepted Guide Wire	ø Working Channel	Unit
--------------	---------------	-----------------	----------	--------	---------------------	-------------------	------

twist'n'CATCH – Stone extraction basket

BAS1-K2-25-23-200	70100146704	Spherical, 130° rotation	35 mm	200 cm		2.8 mm	5
BAS1-K3-35-28-200	70100146643	Spherical, 130° rotation, for short and long wire technique	35 mm	200 cm	.035" ≥ 200 cm	3.2 mm	5

ROCKSTAR – Lithotripter stone extraction basket

BAS3-K2-35-35-200	70100146558	twist'n'CATCH-Basket, integrated lithotripsy function	35 mm	200 cm	.035"	4.2 mm	2
-------------------	-------------	---	-------	--------	-------	--------	---

Stone extraction basket

BAS1-A2-20-23-200	70100146699	Hexagonal	20 mm	200 cm		2.8 mm	5
BAS1-A2-25-23-200	70100146702	Hexagonal	25 mm	200 cm		2.8 mm	5
BAS1-A2-30-23-200	70100146661	Hexagonal	30 mm	200 cm		2.8 mm	5
BAS1-A2-35-23-200	70100146641	Hexagonal	35 mm	200 cm		2.8 mm	5
BAS1-C1-20-18-260	70100146573	Half twisted, Balloon Enteroscopy 	20 mm	260 cm		2.0 mm	2
BAS1-C2-25-23-260	70100146642	Half twisted, Balloon Enteroscopy 	25 mm	260 cm		2.8 mm	2

Reusable stone extraction basket

twist'n'CATCH BAS2-K2-25-23-200	70100146590	Spherical, 130° rotation	35 mm	200 cm		2.8 mm	1
BAS2-A2-25-23-200	70100146677	Hexagonal	25 mm	200 cm		2.8 mm	1
BAS2-A2-30-23-200	70100146677	Hexagonal	30 mm	200 cm		2.8 mm	1
BAS2-C1-15-18-200	70100146587	Half twisted	15 mm	200 cm		2.0 mm	1

 Not capable of lithotripsy

Manufactured by FUJIFILM medwork GmbH.

Product code	Material code	Characteristics	ø Basket	Length	ø Working Channel	Unit
--------------	---------------	-----------------	----------	--------	-------------------	------

rotaCRUSH – Lithotripter ②

LIT3-K2-30-35-200	70100146975	twist'n'CATCH-Basket, integrated catheter, spiral spring, handle	35 mm	200 cm	3.8 mm	1
-------------------	-------------	---	-------	--------	--------	---

Lithotripter basket ②

twist'n'CATCH LIT1-K2-25-23-200	70100146966	Spherical, 130° rotation	35 mm	200/400 cm	2.8 mm	2
LIT1-C3-20-23-200	70100146996	Half twisted	20 mm	200/400 cm	2.8 mm	2
LIT1-C3-25-23-200	70100146965	Half twisted	25 mm	200/400 cm	2.8 mm	2
LIT1-C3-30-23-200	70100146986	Half twisted	30 mm	200/400 cm	2.8 mm	2
LIT1-C3-35-23-200	70100146970	Half twisted	35 mm	200/400 cm	2.8 mm	2

Reusable lithotripter basket

twist'n'CATCH LIT2-K2-25-23-200	70100146997	Spherical, 130° rotation	35 mm	200/400 cm	2.8 mm	1
LIT2-C1-15-18-200	70100146967	Half twisted	15 mm	200/400 cm	2.0 mm	1
LIT2-C3-20-23-200	70100147802	Half twisted	30 mm	200/400 cm	2.8 mm	1
LIT2-C3-25-23-200	70100146958	Half twisted	25 mm	200/400 cm	2.8 mm	1
LIT2-C3-30-23-200	70100146959	Half twisted	30 mm	200/400 cm	2.8 mm	1
LIT2-C3-35-23-200	70100147821	Half twisted	35 mm	200/400 cm	2.8 mm	1

Lithotripter spring ②

LIT1-G4-26-185	70100146988	Spiral spring, transendoscopic, bile duct		185 cm	2.8 mm	2
LIT1-N4-38-090	70100146957	Spiral spring, emergency, bile duct		90 cm		2

Product code	Material code	Characteristics	Unit
--------------	---------------	-----------------	------

Reusable lithotripter handle

LIT2-D-HAN	70100146616	Handle, pull through technique	1
------------	-------------	--------------------------------	---

Product code	Material code	Colour	Diameter	Length between flaps	Total Length	Unit
KENA – Biliary Stents (2 flaps, centre bend) ②						
PRO1-C2-07-05	70100147774	Grey	7 Fr	5 cm	6.5 cm	1
PRO1-C2-07-07	70100147775	Grey	7 Fr	7 cm	8.5 cm	1
PRO1-C2-07-09	70100147776	Grey	7 Fr	9 cm	10.5 cm	1
PRO1-C2-07-11	70100147835	Grey	7 Fr	11 cm	12.5 cm	1
PRO1-C2-07-13	70100147836	Grey	7 Fr	13 cm	14.5 cm	1
PRO1-C2-07-15	70100147837	Grey	7 Fr	15 cm	16.5 cm	1
PRO1-C2-07-17	70100147838	Grey	7 Fr	17 cm	18.5 cm	1
PRO1-C2-07-19	70100147831	Grey	7 Fr	19 cm	20.5 cm	1
PRO1-C2-08-05	70100147787	Green	8.5 Fr	5 cm	6.5 cm	1
PRO1-C2-08-07	70100146792	Green	8.5 Fr	7 cm	8.5 cm	1
PRO1-C2-08-09	70100147830	Green	8.5 Fr	9 cm	10.5 cm	1
PRO1-C2-08-11	70100146796	Green	8.5 Fr	11 cm	12.5 cm	1
PRO1-C2-08-13	70100147839	Green	8.5 Fr	13 cm	14.5 cm	1
PRO1-C2-08-15	70100147816	Green	8.5 Fr	15 cm	16.5 cm	1
PRO1-C2-08-17	70100147817	Green	8.5 Fr	17 cm	18.5 cm	1
PRO1-C2-08-19		Green	8.5 Fr	19 cm	20.5 cm	1
PRO1-C2-10-05	70100147788	Blue	10 Fr	5 cm	6.5 cm	1
PRO1-C2-10-06	70100146769	Blue	10 Fr	6 cm	7.5 cm	1
PRO1-C2-10-07	70100147818	Blue	10 Fr	7 cm	8.5 cm	1
PRO1-C2-10-08	70100147765	Blue	10 Fr	8 cm	9.5 cm	1
PRO1-C2-10-09	70100146770	Blue	10 Fr	9 cm	10.5 cm	1
PRO1-C2-10-10	70100147766	Blue	10 Fr	10 cm	11.5 cm	1
PRO1-C2-10-11	70100147789	Blue	10 Fr	11 cm	12.5 cm	1
PRO1-C2-10-12	70100146771	Blue	10 Fr	12 cm	13.5 cm	1
PRO1-C2-10-13	70100146761	Blue	10 Fr	13 cm	14.5 cm	1
PRO1-C2-10-14	70100146772	Blue	10 Fr	14 cm	15.5 cm	1
PRO1-C2-10-15	70100146773	Blue	10 Fr	15 cm	16.5 cm	1
PRO1-C2-10-17	70100146774	Blue	10 Fr	17 cm	18.5 cm	1
PRO1-C2-10-19	70100146775	Blue	10 Fr	19 cm	20.5 cm	1

Product code	Material code	Colour	Diameter	Length between flaps	Total Length	Unit
KENA – Biliary stents (2 flaps, proximal bend)						
PRO1-T2-07-05	70100146777	Grey	7 Fr	5 cm	6.5 cm	1
PRO1-T2-07-07	70100146815	Grey	7 Fr	7 cm	8.5 cm	1
PRO1-T2-07-09	70100146798	Grey	7 Fr	9 cm	10.5 cm	1
PRO1-T2-07-11	70100146778	Grey	7 Fr	11 cm	12.5 cm	1
PRO1-T2-07-13	70100146779	Grey	7 Fr	13 cm	14.5 cm	1
PRO1-T2-07-15	70100146741	Grey	7 Fr	15 cm	16.5 cm	1
PRO1-T2-07-17	70100147843	Grey	7 Fr	17 cm	18.5 cm	1
PRO1-T2-07-19	70100147840	Grey	7 Fr	19 cm	20.5 cm	1
PRO1-T2-08-05	70100146780	Green	8.5 Fr	5 cm	6.5 cm	1
PRO1-T2-08-07	70100146799	Green	8.5 Fr	7 cm	8.5 cm	1
PRO1-T2-08-09	70100147768	Green	8,5 Fr	9 cm	10.5 cm	1
PRO1-T2-08-11	70100147790	Green	8,5 Fr	11 cm	12.5 cm	1
PRO1-T2-08-13	70100146800	Green	8.5 Fr	13 cm	14.5 cm	1
PRO1-T2-08-15	70100146816	Green	8.5 Fr	15 cm	16.5 cm	1
PRO1-T2-08-17	70100147769	Green	8.5 Fr	17 cm	18.5 cm	1
PRO1-T2-08-19	70100146817	Green	8.5 Fr	19 cm	20.5 cm	1
PRO1-T2-10-05	70100146739	Blue	10 Fr	5 cm	6.5 cm	1
PRO1-T2-10-06	70100147770	Blue	10 Fr	6 cm	7.5 cm	1
PRO1-T2-10-07	70100146805	Blue	10 Fr	7 cm	8.5 cm	1
PRO1-T2-10-08	70100146806	Blue	10 Fr	9 cm	10.5 cm	1
PRO1-T2-10-09	70100146781	Blue	10 Fr	8 cm	9.5 cm	1
PRO1-T2-10-10	70100146744	Blue	10 Fr	10 cm	11.5 cm	1
PRO1-T2-10-11	70100147791	Blue	10 Fr	11 cm	12.5 cm	1
PRO1-T2-10-12	70100146745	Blue	10 Fr	12 cm	13.5 cm	1
PRO1-T2-10-13	70100146746	Blue	10 Fr	13 cm	14.5 cm	1
PRO1-T2-10-14	70100147819	Blue	10 Fr	14 cm	15.5 cm	1
PRO1-T2-10-15	70100146807	Blue	10 Fr	15 cm	16.5 cm	1
PRO1-T2-10-17	70100147776	Blue	10 Fr	17 cm	18.5 cm	1
PRO1-T2-10-19	70100146818	Blue	10 Fr	19 cm	20.5 cm	1

Product code	Material code	Colour	Diameter	Length between flaps	Total Length	ø Working Channel	Unit
--------------	---------------	--------	----------	----------------------	--------------	-------------------	------

Preloaded **KENA** – Biliary stents (2 flaps, centre bend, for long wire technique)

PRO3-C2-08-05	70100147792	Green	8.5 Fr	5 cm	6.5 cm	4.2 mm	1
PRO3-C2-08-07	70100147793	Green	8.5 Fr	7 cm	8.5 cm	4.2 mm	1
PRO3-C2-08-09	70100147779	Green	8.5 Fr	9 cm	10.5 cm	4.2 mm	1
PRO3-C2-08-11	70100147844	Green	8.5 Fr	11 cm	12.5 cm	4.2 mm	1
PRO3-C2-08-13	70100147801	Green	8.5 Fr	13 cm	14.5 cm	4.2 mm	1
PRO3-C2-08-15	70100147804	Green	8.5 Fr	15 cm	16.5 cm	4.2 mm	1
PRO3-C2-08-17	70100147780	Green	8.5 Fr	17 cm	18.5 cm	4.2 mm	1
PRO3-C2-08-19	70100147845	Green	8.5 Fr	19 cm	20.5 cm	4.2 mm	1
PRO3-C2-10-05	70100146809	Blue	10 Fr	5 cm	6.5 cm	4.2 mm	1
PRO3-C2-10-06	70100147846	Blue	10 Fr	6 cm	7.5 cm	4.2 mm	1
PRO3-C2-10-07	70100146782	Blue	10 Fr	7 cm	8.5 cm	4.2 mm	1
PRO3-C2-10-08	70100147824	Blue	10 Fr	8 cm	9.5 cm	4.2 mm	1
PRO3-C2-10-09	70100146819	Blue	10 Fr	9 cm	10.5 cm	4.2 mm	1
PRO3-C2-10-10	70100146783	Blue	10 Fr	10 cm	11.5 cm	4.2 mm	1
PRO3-C2-10-11	70100146784	Blue	10 Fr	11 cm	12.5 cm	4.2 mm	1
PRO3-C2-10-12	70100146820	Blue	10 Fr	12 cm	13.5 cm	4.2 mm	1
PRO3-C2-10-13	70100146765	Blue	10 Fr	13 cm	14.5 cm	4.2 mm	1
PRO3-C2-10-14	70100146785	Blue	10 Fr	14 cm	15.5 cm	4.2 mm	1
PRO3-C2-10-15	70100146747	Blue	10 Fr	15 cm	16.5 mm	4.2 mm	1
PRO3-C2-10-17	70100147842	Blue	10 Fr	17 cm	18.5 cm	4.2 mm	1
PRO3-C2-10-19	70100147847	Blue	10 Fr	19 cm	20.5 cm	4.2 mm	1
PRO3-C2-10-21	70100147807	Blue	10 Fr	21 cm	22.5 cm	4.2 mm	1
PRO3-C2-10-23	70100147777	Blue	10 Fr	23 cm	24.5 cm	4.2 mm	1
PRO3-C2-10-25	70100147848	Blue	10 Fr	25 cm	26.5 cm	4.2 mm	1

Product code	Material code	Colour	Diameter	Length between flaps	Total Length	ø Working Channel	Unit
--------------	---------------	--------	----------	----------------------	--------------	-------------------	------

Preloaded **KENA** – Biliary stents (2 flaps, proximal bend, for long wire technique)

PRO3-T2-08-05	70100146763	Green	8.5 Fr	5 cm	6.5 cm	4.2 mm	1
PRO3-T2-08-07	70100146786	Green	8.5 Fr	7 cm	8.5 cm	4.2 mm	1
PRO3-T2-08-09	70100147781	Green	8.5 Fr	9 cm	10.5 cm	4.2 mm	1
PRO3-T2-08-11	70100146748	Green	8.5 Fr	11 cm	12.5 cm	4.2 mm	1
PRO3-T2-08-13	70100146808	Green	8.5 Fr	13 cm	14.5 cm	4.2 mm	1
PRO3-T2-08-15	70100146749	Green	8.5 Fr	15 cm	16.5 cm	4.2 mm	1
PRO3-T2-08-17	70100146750	Green	8.5 Fr	17 cm	18.5 cm	4.2 mm	1
PRO3-T2-08-19	70100147778	Green	8.5 Fr	19 cm	20.5 cm	4.2 mm	1
PRO3-T2-10-05	70100146751	Blue	10 Fr	5 cm	6.5 cm	4.2 mm	1
PRO3-T2-10-06	70100147849	Blue	10 Fr	6 cm	7.5 cm	4.2 mm	1
PRO3-T2-10-07	70100146764	Blue	10 Fr	7 cm	8.5 cm	4.2 mm	1
PRO3-T2-10-08	70100146821	Blue	10 Fr	8 cm	9.5 mm	4.2 mm	1
PRO3-T2-10-09	70100146752	Blue	10 Fr	9 cm	10.5 cm	4.2 mm	1
PRO3-T2-10-10	70100146753	Blue	10 Fr	10 cm	11.5 cm	4.2 mm	1
PRO3-T2-10-11	70100146787	Blue	10 Fr	11 cm	12.5 cm	4.2 mm	1
PRO3-T2-10-12	70100146788	Blue	10 Fr	12 cm	13.5 cm	4.2 mm	1
PRO3-T2-10-13	70100147782	Blue	10 Fr	13 cm	14.5 cm	4.2 mm	1
PRO3-T2-10-14	70100146732	Blue	10 Fr	14 cm	15.5 cm	4.2 mm	1
PRO3-T2-10-15	70100146733	Blue	10 Fr	15 cm	16.5 cm	4.2 mm	1
PRO3-T2-10-17	70100146789	Blue	10 Fr	17 cm	18.5 cm	4.2 mm	1
PRO3-T2-10-19	70100147783	Blue	10 Fr	19 cm	20.5 cm	4.2 mm	1
PRO3-T2-10-21	70100147784	Blue	10 Fr	21 cm	22.5 cm	4.2 mm	1
PRO3-T2-10-23	70100147771	Blue	10 Fr	23 cm	24.5 cm	4.2 mm	1
PRO3-T2-10-25	70100147841	Blue	10 Fr	25 cm	26.5 cm	4.2 mm	1

Product code	Material code	Colour	Diameter	Length between flaps	Total Length	ø Working Channel	Unit
--------------	---------------	--------	----------	----------------------	--------------	-------------------	------

Preloaded **KENA** – Biliary stents (2 flaps, centre bend, for short wire technique)

PRO3-C3-08-05	70100149979	Green	8.5 Fr	5 cm	6.5 cm	4.2 mm	1
PRO3-C3-08-07	70100149980	Green	8.5 Fr	7 cm	8.5 cm	4.2 mm	1
PRO3-C3-08-09	70100149977	Green	8.5 Fr	9 cm	10.5 cm	4.2 mm	1
PRO3-C3-08-11	70100149954	Green	8.5 Fr	11 cm	12.5 cm	4.2 mm	1
PRO3-C3-08-13	70100149956	Green	8.5 Fr	13 cm	14.5 cm	4.2 mm	1
PRO3-C3-08-15	70100149957	Green	8.5 Fr	15 cm	16.5 cm	4.2 mm	1
PRO3-C3-08-17	70100149941	Green	8.5 Fr	17 cm	18.5 cm	4.2 mm	1
PRO3-C3-08-19	70100149981	Green	8.5 Fr	19 cm	20.5 cm	4.2 mm	1
PRO3-C3-10-05	70100149942	Blue	10 Fr	5 cm	6.5 cm	4.2 mm	1
PRO3-C3-10-06	70100149982	Blue	10 Fr	6 cm	7.5 cm	4.2 mm	1
PRO3-C3-10-07	70100149960	Blue	10 Fr	7 cm	8.5 cm	4.2 mm	1
PRO3-C3-10-08	70100149958	Blue	10 Fr	8 cm	9.5 mm	4.2 mm	1
PRO3-C3-10-09	70100149959	Blue	10 Fr	9 cm	10.5 cm	4.2 mm	1
PRO3-C3-10-10	70100149961	Blue	10 Fr	10 cm	11.5 cm	4.2 mm	1
PRO3-C3-10-11	70100149963	Blue	10 Fr	11 cm	12.5 cm	4.2 mm	1
PRO3-C3-10-12	70100149943	Blue	10 Fr	12 cm	13.5 cm	4.2 mm	1
PRO3-C3-10-13	70100149983	Blue	10 Fr	13 cm	14.5 cm	4.2 mm	1
PRO3-C3-10-14	70100149962	Blue	10 Fr	14 cm	15.5 cm	4.2 mm	1
PRO3-C3-10-15	70100149965	Blue	10 Fr	15 cm	16.5 cm	4.2 mm	1
PRO3-C3-10-17	70100149984	Blue	10 Fr	17 cm	18.5 cm	4.2 mm	1
PRO3-C3-10-19	70100149964	Blue	10 Fr	19 cm	20.5 cm	4.2 mm	1
PRO3-C3-10-21	70100149967	Blue	10 Fr	21 cm	22.5 cm	4.2 mm	1
PRO3-C3-10-23	70100149968	Blue	10 Fr	23 cm	24.5 cm	4.2 mm	1
PRO3-C3-10-25	70100149944	Blue	10 Fr	25 cm	26.5 cm	4.2 mm	1

Product code	Material code	Colour	Diameter	Length between flaps	Total Length	ø Working Channel	Unit
--------------	---------------	--------	----------	----------------------	--------------	-------------------	------

Preloaded **KENA** – Biliary stents (2 flaps, proximal bend, for short wire technique)

PRO3-T3-08-05	70100149945	Green	8.5 Fr	5 cm	6.5 cm	4.2 mm	1
PRO3-T3-08-07	70100149969	Green	8.5 Fr	7 cm	8.5 cm	4.2 mm	1
PRO3-T3-08-09	70100149966	Green	8.5 Fr	9 cm	10.5 cm	4.2 mm	1
PRO3-T3-08-11	70100149970	Green	8.5 Fr	11 cm	12.5 cm	4.2 mm	1
PRO3-T3-08-13	70100149971	Green	8.5 Fr	13 cm	14.5 cm	4.2 mm	1
PRO3-T3-08-15	70100149946	Green	8.5 Fr	15 cm	16.5 cm	4.2 mm	1
PRO3-T3-08-17	70100149972	Green	8.5 Fr	17 cm	18.5 cm	4.2 mm	1
PRO3-T3-08-19	70100149947	Green	8.5 Fr	19 cm	20.5 cm	4.2 mm	1
PRO3-T3-10-05	70100149948	Blue	10 Fr	5 cm	6.5 cm	4.2 mm	1
PRO3-T3-10-06	70100149973	Blue	10 Fr	6 cm	7.5 cm	4.2 mm	1
PRO3-T3-10-07	70100149985	Blue	10 Fr	7 cm	8.5 cm	4.2 mm	1
PRO3-T3-10-08	70100149986	Blue	10 Fr	8 cm	9.5 mm	4.2 mm	1
PRO3-T3-10-09	70100149987	Blue	10 Fr	9 cm	10.5 cm	4.2 mm	1
PRO3-T3-10-10	70100149974	Blue	10 Fr	10 cm	11.5 cm	4.2 mm	1
PRO3-T3-10-11	70100149988	Blue	10 Fr	11 cm	12.5 cm	4.2 mm	1
PRO3-T3-10-12	70100149989	Blue	10 Fr	12 cm	13.5 cm	4.2 mm	1
PRO3-T3-10-13	70100149975	Blue	10 Fr	13 cm	14.5 cm	4.2 mm	1
PRO3-T3-10-14	70100149949	Blue	10 Fr	14 cm	15.5 cm	4.2 mm	1
PRO3-T3-10-15	70100149950	Blue	10 Fr	15 cm	16.5 cm	4.2 mm	1
PRO3-T3-10-17	70100149976	Blue	10 Fr	17 cm	18.5 cm	4.2 mm	1
PRO3-T3-10-19	70100149951	Blue	10 Fr	19 cm	20.5 cm	4.2 mm	1
PRO3-T3-10-21	70100149952	Blue	10 Fr	21 cm	22.5 cm	4.2 mm	1
PRO3-T3-10-23	70100149953	Blue	10 Fr	23 cm	24.5 cm	4.2 mm	1
PRO3-T3-10-25	70100149990	Blue	10 Fr	25 cm	26.5 cm	4.2 mm	1

Product code	Material code	Characteristics	Diameter	Length	Accepted Guide Wire	ø Working Channel	Unit
--------------	---------------	-----------------	----------	--------	---------------------	-------------------	------

KENA – Guide catheters, Pusher and Insertion kit

PRO1-P2-07-180	70100146776	Pusher, white, for 7 Fr biliary stents	7 Fr	180 cm	.035"	2.8 mm	2
PRO1-P1-09-180	70100146762	Pusher, white, for 8.5 and 10 Fr Biliary stents	9 Fr	180 cm	.035"	3.2 mm	2
PRO1-K1-05-220-35	70100146797	Guide catheter, grey, for 8.5 and 10 Fr biliary stents	5 Fr	220 cm	.035"	2.0 mm	2
PRO1-S1-05-220-35	70100146829	Insertion kit for 8.5 and 10 Fr biliary stents, LL-connection, distal radiopaque marking	9 Fr	200 cm	.035"	4.2 mm	2
PRO1-K3-05-220-35	70100149955	Guide catheter, grey, for 8.5 and 10 Fr biliary stents, for short wire technique	5 Fr	220 cm	.035"	2.0 mm	2
PRO1-S1-09-220-35	70100149978	Insertion kit for 8.5 and 10 Fr biliary stents, radiopaque marking, for short wire technique	9 Fr	220 cm	.035"	4.2 mm	2

Manufactured by FUJIFILM medwork GmbH.

For Dilation balloons please see category "Dilation".

Model	Identifier	Knife length (mm)	Working length (mm)	Ø Suitable working channel (mm)	Remarks
-------	------------	-------------------	---------------------	---------------------------------	---------

FlushKnife ㊗

	DK2620J	- B15S -	1.5	2,000	2.8 or more	Ball tip, Slim Type
		- B20S -	2.0			
		- B25S -	2.5			
		- B30S -	3.0			
	DK2623JS	- B15 -	1.5	2,300	2.8 or more	Ball tip, Long slim type
		- B20 -	2.0			
		- N10S -	1.0			
		- N15S -	1.5			
	DK2620J	- N20S -	2.0	2,000	2.8 or more	Needle tip, Slim Type
		- N25S -	2.5			
		- N30S -	3.0			
		- N15 -	1.5			
	DK2623JS	- N20 -	2.0	2,300	2.8 or more	Needle tip, Long slim type
		- N20 -	2.0			

ClutchCutter ㊗

	DP2618DT - 35 -	- 35 -	3.5	1,800	2.8 or more
	DP2618DT - 50 -	- 50 -	5.0	1,800	2.8 or more

Model	Outer diameter (mm)	Inner diameter of tip (mm)	Tip length (mm)	Accessory guide	Applicable endoscope
-------	---------------------	----------------------------	-----------------	-----------------	----------------------

ST hood for ESD and POEM ㊗

DH-28GR	11.5	8.0	7.0	Without	EG-760Z, EG-600ZW, EC-740T/M,L
DH-29CR	12.4	8.0	7.0	Without	EG-760CT, EC-760P-V/M,L
DH-30CR	13.8	8.0	7.0	Without	EC-760R-V/M,I,L, EC-760ZP-V/M,L, EC-760Z-V/M,L, EC-720R/M,I,L, EC-600WM/WI/WL, EC-600ZW/M,L
DH-33GR	11.8	7.0	7.0	Yes	EG-760Z, EG-760CT, EC-740T/M,L
DH-34CR	13.6	7.0	7.0	Yes	EC-760R-V/M,I,L, EC-760ZP-V/M,L, EC-600WM/WI/WL

Observation hood ㊗

DH-17EN	11.5		1.5		EI-580BT, EN-580T
---------	------	--	-----	--	-------------------

Model	Applicable endoscope	Summarise remarks
-------	----------------------	-------------------

Top Endoscopic Hoods ㊗

SHS	EG-760R	Soft & transparent type
SHM	EG-760Z, EG-760CT, EC-740T	
SHL	EC-760R, EC-760ZP, EC-760P	
SHLL	EC-760Z	
SHM-B	EG-760Z, EG-760CT, EC-740T	Soft & black type
SHL-B	EC-760R, EC-760ZP, EC-760P	

Model	Applicable endoscope	Summarise remarks
-------	----------------------	-------------------



SHF-020	EG-760Z, EC-740T	Hard and transparent type
SHF-035	EG-760CT, EC-760P	
SHF-045	EC-760R	
SHF-050	EC-760ZP	
SHF-055	EC-760Z	

Packaging unit: 5 pcs/box

Manufactured by Top Corporation, Japan. Not for sale in Canada.

Product code	Material code	Characteristics	ø Snare	Length	ø Working Channel	Unit
--------------	---------------	-----------------	---------	--------	-------------------	------

CrossSnare ZERO – Polypectomy snare for cold snaring ②

POL1-Z2-07-23-220	70100147742	Kite, CWT	7 mm	220 cm	2.8 mm	10
POL1-Z2-12-23-220	70100147743	Kite, CWT	12 mm	220 cm	2.8 mm	10

CrossSnare – Hybrid polypectomy snare for cold & hot snaring ②

POL1-X1-10-23-220-OL	70100146804	Kite, CWT	10 mm	220 cm	2.8 mm	10
POL1-X1-15-23-220-OL	70100146758	Kite, CWT	15 mm	220 cm	2.8 mm	10

Polypectomy snares ②

POL1-B1-10-23-220-OL	70100146684	Convex, CWT	10 mm	220 cm	2.8 mm	10
POL1-B1-10-23-260-OL	70100147822	Convex, Balloon Enteroscopy, CWT	10 mm	260 cm	2.8 mm	10
POL1-B1-15-23-220-OL	70100146542	Convex, CWT	15 mm	220 cm	2.8 mm	10
POL1-B1-15-23-260-OL	70100146685	Convex, Balloon Enteroscopy, CWT	15 mm	260 cm	2.8 mm	10
POL1-B1-20-23-220-OL	70100146695	Convex, CWT	20 mm	220 cm	2.8 mm	10
POL1-B1-20-23-260-OL	70100147810	Convex, Balloon Enteroscopy, CWT	20 mm	260 cm	2.8 mm	10
POL1-B1-30-23-220-OL	70100146586	Convex, CWT	30 mm	220 cm	2.8 mm	10
POL1-B1-30-23-260-OL	70100146712	Convex, Balloon Enteroscopy, CWT	30 mm	260 cm	2.8 mm	10
POL1-D1-30-23-220-OL	70100146813	Convex, combi, CWT	15 mm	220 cm	2.8 mm	10
POL1-K1-25-23-220-OL	70100146726	Asymmetrical, CWT	25 mm	220 cm	2.8 mm	10
POL1-B7-10-23-220-OL	70100146697	Oval, braided wire	10 mm	220 cm	2.8 mm	10
POL1-B7-15-23-220-OL	70100146626	Oval, braided wire	15 mm	220 cm	2.8 mm	10
POL1-B7-20-23-220-OL	70100146698	Oval, braided wire	20 mm	220 cm	2.8 mm	10
POL1-B7-30-23-220-OL	70100146659	Oval, braided wire	30 mm	220 cm	2.8 mm	10
POL1-B8-10-23-220-OL	70100146627	Oval, rotatable, braided wire	10 mm	220 cm	2.8 mm	10
POL1-B8-15-23-220-OL	70100146628	Oval, rotatable, braided wire	15 mm	220 cm	2.8 mm	10
POL1-B8-22-23-220-OL	70100146675	Oval, rotatable, braided wire	22 mm	220 cm	2.8 mm	10
POL1-B8-30-23-220-OL	70100146570	Oval, rotatable, braided wire	30 mm	220 cm	2.8 mm	10
POL1-F1-30-23-220-OL	70100146740	Hexagonal, braided wire	30 mm	220 cm	2.8 mm	10

Polypectomy snares ②

POL1-B9-10-23-220-OL	70100146687	Oval, monofil	10 mm	220 cm	2.8 mm	10
POL1-B9-15-23-220-OL	70100146603	Oval, monofil	15 mm	220 cm	2.8 mm	10
POL1-B9-22-23-220-OL	70100146571	Oval, monofil	22 mm	220 cm	2.8 mm	10
POL1-B9-30-23-220-OL	70100146694	Oval, monofil	30 mm	220 cm	2.8 mm	10
POL1-B3-10-23-220-OL	70100146624	Oval, rotatable, monofil	10 mm	220 cm	2.8 mm	10
POL1-B3-15-23-220-OL	70100146604	Oval, rotatable, monofil	15 mm	220 cm	2.8 mm	10
POL1-B3-22-23-220-OL	70100146625	Oval, rotatable, monofil	22 mm	220 cm	2.8 mm	10
POL1-B3-30-23-220-OL	70100146686	Oval, rotatable, monofil	30 mm	220 cm	2.8 mm	10

Manufactured by FUJIFILM medwork GmbH.

Product code	Material code	Characteristics	ø Snare	Length	ø Working Channel	Unit
--------------	---------------	-----------------	---------	--------	-------------------	------

ResectionMaster – Polypectomy snares for EMR ⓘ

POL1–C5–10–23–220–OL	70100146793	Oval, flat metal band	10 mm	220 cm	2.8 mm	10
POL1–C5–15–23–220–OL	70100146802	Oval, flat metal band	15 mm	220 cm	2.8 mm	10
POL1–C5–22–23–220–OL	70100146803	Oval, flat metal band	22 mm	220 cm	2.8 mm	10
POL1–C5–30–23–220–OL	70100146801	Oval, flat metal band	30 mm	220 cm	2.8 mm	10

Product code	Material code	Characteristics	ø Snare	Needle Length	Length	ø Working Channel	Unit
--------------	---------------	-----------------	---------	---------------	--------	-------------------	------

SnareInflator – Polypectomy snares with integrated injection needle ⓘ

POL1–H4–15–27–230–OL	70100146793	Oval, CWT	15 mm	5 mm	230 cm	3.2 mm	5
POL1–H3–22–27–230–OL	70100146802	Oval, monofil	22 mm	5 mm	230 cm	3.2 mm	5
POL1–H3–30–27–230–OL	70100146803	Oval, monofil	30 mm	5 mm	230 cm	3.2 mm	5

Reusable polypectomy snares

POL2–B1–15–23–220	70100146766	Oval, braided wire	15 mm	220 cm	2.8 mm	1
POL2–B1–20–23–220	70100146728	Oval, braided wire	20 mm	220 cm	2.8 mm	1
POL2–B1–30–23–220	70100146754	Oval, braided wire	30 mm	220 cm	2.8 mm	1
POL2–B9–15–23–220	70100146794	Oval, monofil	15 mm	220 cm	2.8 mm	1
POL2–B9–20–23–220	70100146729	Oval, monofil	20 mm	220 cm	2.8 mm	1
POL2–B9–30–23–220	70100147823	Oval, monofil	30 mm	220 cm	2.8 mm	1
POL2–C1–50–23–220	70100146731	Oval, braided, proximal flat spring reinforced	50 mm	220 cm	2.3 mm	1
POL2–E1–30–23–220	70100146814	Oval, combi, proximal strengthened by a flat spring	15/30 mm	220 cm	2.8 mm	1

Product code	Material code	Characteristics	ø Brush	Length	ø Working Channel	Unit
--------------	---------------	-----------------	---------	--------	-------------------	------

Cytology brush ⓘ

WS0372512	70100146960	Bronchoscopy, handle, 1 lumen, distal protection ball	15 mm	120 cm	2.0 mm	5
WS0373016	70100146972	Gastroscopy, handle, 1 lumen, distal protection ball	25 mm	160 cm	2.8 mm	5
WS0373022	70100146980	Colonoscopy, handle, 1 lumen, distal protection ball	30 mm	220 cm	2.8 mm	5

Spray catheter

SPE1–B6–18–120	70100146734	Spray catheter	120 cm	2.0 mm	10
SPE1–C6–18–220	70100146735	Spray catheter	220 cm	2.0 mm	10

Product code	Material code	Characteristics	Lift	Unit
--------------	---------------	-----------------	------	------

Handle for polypectomy snares

HAN2–100–OL	70100146588	Handle, rotatable	100 mm	1
-------------	-------------	-------------------	--------	---

For injection needles please see category "Haemostasis".
For polyp traps please see category "Accessories".
For burried bumper treatment or foreign body nets please see category "Foreign Body".

BURIED-BUMPER-THERAPY

Product code	Material code	Characteristics	Cutting Length	Length	ø Working Channel	Unit
Flamingo KIT ⓘ						
POL3-P1-40-30-30	70100146767	Flamingo kit consisting of: 1 Flamingo for 15 Fr PEG probe, 2 lumen, CWT, rotatable	6/10 mm	30 cm	.035"	1
		1 Foreign body forceps, alligator/rat tooth		230 cm		
		1 Guide wire, hydrophilic tip		120 cm		

BIOPSY

Product code	Material code	Characteristics	ø Balloon	Length	ø Working Channel	Unit
EndoBite ² – Biopsy forceps ⓘ						
BIO1-C4-18-120	70100146705	Oval jaws, coated, Bronchoscopy	1.8 mm	120 cm	2.0 mm	10
BIO1-C4-18-180	70100146591	Oval jaws, coated, Paediatrics	1.8 mm	180 cm	2.0 mm	10
BIO1-C4-18-260	70100146676	Oval jaws, coated, Balloon Enteroscopy	1.8 mm	260 cm	2.0 mm	10
BIO1-C4-23-180	70100146647	Oval jaws, mono pull wire, coated	2.3 mm	180 cm	2.8 mm	10
BIO1-C4-23-230	70100146662	Oval jaws, mono pull wire, coated	2.3 mm	230 cm	2.8 mm	10
BIO1-D4-23-180	70100146574	Oval jaws, mono pull wire, coated, spike	2.3 mm	180 cm	2.8 mm	10
BIO1-D4-23-230	70100146678	Oval jaws, mono pull wire, coated, spike	2.3 mm	230 cm	2.8 mm	10
BIO1-C3-23-180	70100146645	Oval jaws, mono pull wire	2.3 mm	180 cm	2.8 mm	10
BIO1-C3-23-230	70100146592	Oval jaws, mono pull wire	2.3 mm	230 cm	2.8 mm	10
BIO1-D3-23-180	70100146552	Oval jaws, mono pull wire, spike	2.3 mm	180 cm	2.8 mm	10
BIO1-D3-23-230	70100146593	Oval jaws, mono pull wire, spike	2.3 mm	230 cm	2.8 mm	10
BIO1-G4-23-180	70100146575	Alligator, mono pull wire, coated	2.3 mm	180 cm	2.8 mm	10
BIO1-G4-23-230	70100146557	Alligator, mono pull wire, coated	2.3 mm	230 cm	2.8 mm	10
BIO1-H4-23-180	70100146679	Alligator, mono pull wire, coated, spike	2.3 mm	180 cm	2.8 mm	10
BIO1-H4-23-230	70100146680	Alligator, mono pull wire, coated, spike	2.3 mm	230 cm	2.8 mm	10

Product code	Material code	Characteristics	ø Jaws	Length	ø Working Channel	Unit
Macro biopsy forceps ⓘ						
AMHBFJ2.8*2300	70100146977	Alligator, mono pull wire, coated, macro forceps	2.8 mm	230 cm	3.2 mm	10
AMHBFK2.8*2300	70100146955	Alligator, mono pull wire, coated, macro forceps, spike	2.8 mm	230 cm	3.2 mm	10

FOREIGN BODY

Product code	Material code	Characteristics	Volume Net	Length	ø Working Channel	Unit
--------------	---------------	-----------------	------------	--------	-------------------	------

OCTOPUS – Foreign body retrieval net ②

FOR1-N1-20-180	70100146681	Hexagonal, framed, Paediatrics	3 cm³	180 cm	2.0 mm	5
FOR1-N1-30-220	70100146563	Oval, framed	6 cm³	220 cm	2.8 mm	5
FOR1-N1-40-220	70100146682	Reservoir function, framed	8 cm³	220 cm	2.8 mm	5
FOR1-N2-30-220	70100146654	Kite, framed	6 cm³	220 cm	2.8 mm	5
FOR1-N3-30-220	70100146607	Kite, framed, rotatable	6 cm³	220 cm	2.8 mm	5

Product code	Material code	Characteristics	Volume Net	ø Tube	Length	ø Working Channel	Unit
--------------	---------------	-----------------	------------	--------	--------	-------------------	------

Foreign body forceps ②

FOR1-A1-23-230	70100146637	Alligator, metal spring, coated	9 mm	2.3 mm	230 cm	2.8 mm	10
FOR1-A2-23-230	70100146653	Hybrid jaw configuration alligator/rat tooth, metal spring, coated	9 mm	2.3 mm	230 cm	2.8 mm	10
FOR1-A2-23-260	70100146565	Hybrid jaw configuration alligator/rat tooth,metal spring, coated Balloon Enteroscopy	8 mm	2.3 mm	260 cm	2.8 mm	10
FOR1-P1-18-230	70100146585	Pelican, coated, Paediatrics	9 mm	1.8 mm	230 cm	2.0 mm	10
FOR1-P1-23-230	70100146638	Pelican, coated	15.5 mm	2.3 mm	230 cm	2.8 mm	10
FOR1-H3-23-230	70100146566	Three-arm grasping forceps, PTFE catheter		2.3 mm	230 cm	2.8 mm	5

Reusable foreign body forceps

FOR2-H3-23-230	70100146609	Three-arm grasping forceps, PTFE catheter		2.3 mm	230 cm	2.8 mm	1
FOR2-J3-23-230	70100146564	Four-arm grasping forceps, PTFE catheter		2.3 mm	220 cm	2.8 mm	1

Product code	Material code	Characteristics	Unit
--------------	---------------	-----------------	------

Foreign body protection cap

WS0420000	70100146961	Foreign body protection cap	10
-----------	-------------	-----------------------------	----

Product code	Material code	Needle ø / Length	Length	ø Working Channel	Unit
--------------	---------------	-------------------	--------	-------------------	------

MANTA – Injection needle (latching mechanism, distal needle guide, suitable with Histoacryl) ②

INJ1-A3-05-5-18-240	70100146666	0.5 mm (25 Gauge)/5 mm	240 cm	2.0 mm	5
INJ1-A3-07-5-18-240	70100146657	0.7 mm (23 Gauge)/5 mm	240 cm	2.0 mm	5

CUS² – Injection needle (latching mechanism, distal needle guide, suitable with Histoacryl) ②

INJ1-A2-05-3-23-230	70100147786	0.5 mm (25 Gauge)/3 mm	230 cm	2.8 mm	10
INJ1-A2-05-4-23-180	70100146693	0.5 mm (25 Gauge)/4 mm	180 cm	2.8 mm	10
INJ1-A2-05-4-23-230	70100146549	0.5 mm (25 Gauge)/4 mm	230 cm	2.8 mm	10
INJ1-A2-07-3-23-230	70100147814	0.7 mm (23 Gauge)/3 mm	230 cm	2.8 mm	10
INJ1-A2-07-4-23-180	70100146614	0.7 mm (23 Gauge)/4 mm	180 cm	2.8 mm	10
INJ1-A2-07-4-23-230	70100146671	0.7 mm (23 Gauge)/4 mm	230 cm	2.8 mm	5
INJ1-A2-07-5-23-180	70100146665	0.7 mm (23 Gauge)/5 mm	180 cm	2.8 mm	10
INJ1-A2-07-5-23-230	70100146615	0.7 mm (23 Gauge)/5 mm	230 cm	2.8 mm	10
INJ1-A2-09-5-23-180	70100146554	0.9 mm (21 Gauge)/5 mm	180 cm	2.8 mm	10
INJ1-A2-09-5-23-230	70100146598	0.9 mm (21 Gauge)/5 mm	230 cm	2.0 mm	10

CUS – Injection needle (latching mechanism, distal needle guide, suitable with Histoacryl) ②

INJ1-A1-05-5-18-180	70100146672	0.5 mm (25 Gauge)/5 mm	180 cm	1.8 mm	10
INJ1-A1-07-5-18-180	70100146611	0.7 mm (23 Gauge)/5 mm	180 cm	2.0 mm	10

Fibrin needle (Fibrin glue, PTFE catheter, 2LL connections, 2 lumen, locking mechanism) ②

DFN-8-210	70100146985	0.8 mm (22 Gauge)/5 mm	210 cm	2.6 mm	5
-----------	-------------	------------------------	--------	--------	---

Transbronchial aspiration needle (distal protective spiral) ②

DTN-15-110	70100146984	0.7 mm (23 Gauge)/15 mm	110 cm	1.8 mm	5
DTN-18-110	70100146992	0.7 mm (23 Gauge)/18 mm	110 cm	1.8 mm	5

Product code	Characteristics	Opening width	Length	ø Working Channel	Unit
--------------	-----------------	---------------	--------	-------------------	------

Haemostasis Clip

SPE1-X9	Coated, 360° positioning	12 mm	210 cm	2.8 mm	10
---------	--------------------------	-------	--------	--------	----

Manufactured by FUJIFILM medwork GmbH.

Product code	Material code	Characteristics	Unit	Characteristics
--------------	---------------	-----------------	------	-----------------

PuraStat® Haemostat

PURASTAT 1 ml	70100145375	PURASTAT 1 ml syringe	1	Easy-to-use haemostat. Approved to reduce delayed bleeding following ESD in the colon.
PURASTAT 3 ml	70100145373	PURASTAT 3 ml syringe	1	
PURASTAT 5 ml	70100145374	PURASTAT 5 ml syringe	1	
PURASTAT Catheter	70100145376	PURASTAT catheter	5	

PuraStat is a trademark for 3-D Matrix.



DILATION

Product code	Material code	Characteristics	ø Balloon	Length Balloon	Accepted Guide Wire	ø Working Channel	Unit
Dilation balloon (Working length 230 cm, 2 radiopaque markings, for short and long wire technique) ②							
DIL1-A1-06-40-23-35	70100146636	Tapered catheter (2.3/1.8 mm)	6 mm	40 mm	.035" ≥ 200 cm	2.8 mm	2
DIL1-A1-08-40-23-35	70100146669	Tapered catheter (2.3/1.8 mm)	8 mm	40 mm	.035" ≥ 200 cm	2.8 mm	2
DIL1-A1-10-40-23-35	70100146663	Tapered catheter (2.3/1.8 mm)	10 mm	40 mm	.035" ≥ 200 cm	2.8 mm	2
DIL1-A1-12-60-23-35	70100146605		12 mm	60 mm	.035" ≥ 200 cm	2.8 mm	2
DIL1-A1-14-60-23-35	70100146664		14 mm	60 mm	.035" ≥ 200 cm	2.8 mm	2
DIL1-A1-16-60-23-35	70100146670		16 mm	60 mm	.035" ≥ 200 cm	2.8 mm	2
DIL1-A1-18-60-23-35	70100146667		18 mm	60 mm	.035" ≥ 200 cm	2.8 mm	2
DIL1-A1-20-60-23-35	70100146606		20 mm	60 mm	.035" ≥ 200 cm	3.2 mm	2

Insufflation device ②

DIL1-B1-600	70100147785	60 ml volume, 12 Atm maximum pressure					1
-------------	-------------	---------------------------------------	--	--	--	--	---

Product code	Material code	Characteristics	ø Inner	Unit
--------------	---------------	-----------------	---------	------

Bite blocks ②

BYT1-A3-20	70100146578	Standard, white, with OEKO TEX® strap	20 mm	100
AN10018004	70100147834	With strap, latex-free	13 mm	25
30148	70100147740	With oxygen connection, reusable		5

Product code	Material code	Characteristics	Unit
--------------	---------------	-----------------	------

KOALA – Polyptrap ②

TRP1-S2	70100147772	2 chambers	25
TRP1-S4	70100149546	2 chambers, 2 additional trays	25

Polypttrap ②

MIS1-POLYPTRAP	70100146707	4 chambers, connection tubes to suction pump/endscope	10
MIS1-POLYPTRAP50	70100146556	4 chambers, connection tubes to suction pump/endscope	50

Product code	Material code	Characteristics	ø Brush	Length	ø Working Channel	Unit
--------------	---------------	-----------------	---------	--------	-------------------	------

RACOON Brush – Cleaning brushes ②

CLE1-B1-30-16-100	70100146547	For bronchoscope, 1 brush	3 mm	100 cm	2.0–2.8 mm	50
CLE1-B2-30-16-100	70100146581	For bronchoscope, 2 brushes	3 mm	100 cm	2.0–2.8 mm	50
CLE1-G1-30-16-180	70100146596	For gastroscopy, 1 brush	3 mm	180 cm	2.0–2.8 mm	50
CLE1-G1-50-18-180	70100146651	For gastroscopy, 1 brush	5 mm	180 cm	2.0–4.8 mm	50
CLE1-G2-50-18-180	70100146644	For gastroscopy, 2 brushes	5 mm	180 cm	2.0–4.8 mm	50
CLE1-C1-50-18-230	70100146548	For colonoscopy, 1 brush	5 mm	230 cm	2.0–4.8 mm	50
CLE1-C1-65-18-230	70100146691	For colonoscopy, 1 brush	6 mm	230 cm	2.0–4.8 mm	50
CLE1-C2-30-16-280	70100146629	For colonoscopy, 2 brushes	3 mm	280 cm	2.0–4.8 mm	10
CLE1-C2-50-18-230	70100146582	For colonoscopy, 2 brushes	5 mm	230 cm	2.0–4.8 mm	50
CLE1-C3-50-18-230	70100146595	For colonoscopy, 3 brushes	5 mm	230 cm	2.0–2.8 mm	50
CLE1-V2-012	70100147811	For endoscope valve intake	11 mm/5 mm	12 cm		10
CLE1-V2-012-50	70100147826	For endoscope valve intake	11 mm/5 mm	12 cm		50
CLE1-C4-18-230	70100146583	For colonoscopy, 1 brush, distal protection ball	5 mm	230 cm	2.0–4.8 mm	50
CLE1-C6-18-230	70100146706	For colonoscopy, 2 brushes, distal protection ball	5 mm	230 cm	2.0–4.8 mm	50
CLE1-D2-18-230	70100146692	For colonoscopy and endoscope valve intake, 2 brushes, distal protection ball	10 mm/5 mm	230 cm	2.0–4.8 mm	50

ACCESSORIES

Cleaning Brushes

Brush	Material Code		Where to use	Suitable for
Endoscopes				
WB7024FW	16518827	Reusable	Working channel	700 Series
WB7025DC	16560832	②	Working channel	
WB11003FW	16518841	Reusable	Cylinder port	
WB11003DV	16560820	②	Cylinder port	
WB4321FW2	15910078	Reusable	Working channel	600 Series
WB7025DC	16560832	②	Working channel	
WB11002FW2	15909902	Reusable	Cylinder port	
WB11003DV	16560820	②	Cylinder port	
WB4321FW2	15910078	Reusable	Working channel	580 Series
WB7025DC	16560832	②	Working channel	
WB11002FW2	15909902	Reusable	Cylinder port	
WB11003DV	16560820	②	Cylinder port	
Duodenoscopes				
WB7025DC	16560832	②	Working channel	ED-580XT
WB11003DV	16560820	②	Cylinder port	
WB1318DE	16556623	②	Elevator	
WB4321FW2	15910078	Reusable	Working channel	ED-530XT/XT8
WB11001FW2	15909897	Reusable	Cylinder port	
WB2221FW2	15909926	Reusable	Air-water channel	
WB1318DE	16556623	②	Elevator mechanism	
Double-Balloon Endoscopes				
WB4324FW2	16406921	Reusable	Working channel	EN-580T/XP
WB7025DC	16560832	②	Working channel	
WB11002FW2	15909902	Reusable	Cylinder port	
WB11003DV	16560820	②	Cylinder port	
WB7024FW	16518827	Reusable	Working channel	EI-580BT
WB11003FW	16518841	Reusable	Cylinder port	
WB11003DV	16560820	②	Cylinder port	

Brush	Material Code	Where to use	Suitable for
Ultrasonic Videoscopes			
WB7024FW	16518827	Reusable Working channel	EG-580UT/UR
WB7025DC	16560832	Ⓜ Working channel	
WB11003FW	16518841	Reusable Cylinder port	
WB11003DV	16560820	Ⓜ Cylinder port	
WB1318DE	16556623	Ⓜ Elevator tip	EB-530US
WB2221FW2	15909926	Reusable Balloon channel	
WB2517DC		Ⓜ Balloon channel	
WB3212FW2	15909938	Reusable Working channel	
WB3503FW	15909976	Reusable Working channel	Bronchoscopes
WB7025DC	16560832	Ⓜ Working channel	
WB11002FW2	15909902	Reusable Cylinder port	
WB11003DV	16560820	Ⓜ Cylinder port	
WB7024FW	16518827	Reusable Working channel	EB-580 S/T
WB11003FW	16518841	Reusable Cylinder port	
WB11003DV	16560820	Ⓜ Cylinder port	
WB3212FW2	15909938	Reusable Working channel	EB-530 series
WB3503FW	15909976	Reusable Working channel	
WB7025DC	16560832	Ⓜ Working channel	
WB11002FW2	15909902	Reusable Cylinder port	
WB11003DV	16560820	Ⓜ Cylinder port	EB-530XT, EB-530T
WB3512FW	15909988	Reusable Working channel	
WB2212FW2	15909926	Reusable Working channel	EB-530P
Fibrescopes			
WB3518FW	16659932	Reusable Working channel	FG-1Z
WB3524FW	15910016	Reusable Working channel	FC-1Z

ACCESSORIES

Product code	Material code	Characteristics	ø Working Channel	Unit
--------------	---------------	-----------------	-------------------	------

Cleaning brushes colonoscope kit ②

CLE1-KIT2-COLO	70100147806	Cleaning brushes colonoscope kit including: 1 CLE1-C6-18-230 for colonoscope, 2 brushes, distal protection ball 1 CLE1-V2-016 for endoscope valve intake	2.0-4.8 mm	50
----------------	-------------	---	------------	----

Product code	Material code	Characteristics	ø Inner	ø Outer	Length	Unit
--------------	---------------	-----------------	---------	---------	--------	------

SHEPHERD – Endoscope protector

SHP1-U1	70100147808	Endoscope protector in red, white, blue, green	4-10 mm	37 mm	14 cm	50
---------	-------------	--	---------	-------	-------	----

Product code	Material code	Characteristics	Length	ø Working Channel	Unit
--------------	---------------	-----------------	--------	-------------------	------

Lavage catheter

SPE1-B5-18-120	70100146790	LL-connector	120 cm	2.0 mm	5
SPE1-B5-21-120	70100146822	LL-connector	120 cm	2.8 mm	5

Product code	Material code	Characteristics	Unit
--------------	---------------	-----------------	------

FROG – Biopsy valve ②

VAL1-F1-100	70100146824	For Fujifilm and Olympus endoscopes	100
VAL1-P1-100	70100146810	For Pentax endoscopes	100

Product code	Material code	Characteristics	Compatible endoscopes	Unit
--------------	---------------	-----------------	-----------------------	------

JAZZ – Endoscope valve kit ②

VAL1-G7-50	70100146737	Consisting of air/water valve, suction valve and biopsy valve FROG	Fujifilm endoscopes with G7 grip	50
------------	-------------	--	----------------------------------	----

Product code	Material code	Characteristics	Compatible endoscopes	Unit
--------------	---------------	-----------------	-----------------------	------

EUS balloon ②

WS1070000	70100146969	OL Linear GF-Um20, GF-UM30P, GF-UM130, GF-UMQ130, JF-UM20	EG-580UR, EG-580UT	20
-----------	-------------	---	--------------------	----

ACCESSORIES

Product code	Material code	Characteristics	Unit
Colonoscopy examination pants ②			
MIS1-COLO-PANTS	70100146617	Colonoscopy examination pants, dark blue, fleece, including elastic, slit with hook-and-loop cover, prolonged waistline, Bermuda (width 70 cm/length 60 cm) including elastic, slit, Bermuda (width 61 cm/length 65 cm)	100
MIS1-COLO-PANTS1	70100146618	Colonoscopy examination pants, dark blue, fleece, including elastic, slit, Bermuda (width 61 cm/length 65 cm)	100
MIS1-COLO-PANTS-XXL	70100146555	Colonoscopy examination pants, dark blue, fleece, including elastic, slit with hook-and-loop cover, prolonged waistline, Bermuda (width 85 cm/length 70 cm)	10
ERCP towel – sterile ②			
MIS1-TOWEL-3	70100146673	ERCP towel, sterile, with 3 transparent insertion bags (30 x 26 cm), 75 x 90 cm	10
MIS1-TOWEL-4	70100146690	ERCP towel, sterile, with 4 transparent insertion bags (30 x 20 cm), 75 x 90 cm	10
Reusable product clip			
MIS2-PRO-CLIP	70100147813	Reusable product clip for fixation and reprocessing of flexible accessories, autoclavable up to 134° C, opening width 0–10 mm	20

Manufactured by FUJIFILM medwork GmbH.

PERSONAL **PROTECTIVE** EQUIPMENT

Model	Drape size / Unit		Product Description
Droplet Reduction ⓘ			
B1 Droplet Reduction mouthpiece with drape		300 mm x 300 mm 10 per unit	B1 – the droplet reduction mouthpiece with drape
			▶ Mouthpiece with sponge rubber to reduce droplets from the oral cavity ▶ Drape that functions as a face shield to reduce droplets from the gap between the mouthpiece and the corners of mouth ▶ Compatible with endoscopes or intubation tubes of the diameter from 3 to 16 mm ▶ Latex-free silicone rubber band to fix the drape

MONITORS



Model	Product Description	
EIZO 32" CuratOR** (4K UHD resolution)		32" LCD monitor with 4K UHD resolution ▶ LED backlight with high brightness of 700 cd/m², high resolution of 3840 x 2160 px (4K), optical bonding for reduced reflections ▶ 12.8 kg, 760 mm (W) x 463 mm (H) x 87 mm (D) ▶ Input signal: DisplayPort (HDCP 1.3), HDMI (HDCP 2.2/1.4), BNC(12G-SDI), BNC (3G-SDI), DVI-D x 2 (HDCP 1.4) ▶ Output signal: BNC (12G-SDI), BNC (3G-SDI), DVI-D
Radiance 27" ULTRA* 		27" HD type LCD monitor with Ultra bright LED Backlight ▶ High-Definition, Color Correction Technology (CCT), Full Multi-Modality, Gorilla Glass front panel ▶ 8.9 kg, 678 mm (W) x 445 mm (H) x 84 mm (D) ▶ Input signal: HD-SDI x 2, DVI-D, DVI-I, RGBS, YPbPr, S-Video, Composite, VGA ▶ Output signal: HD-SDI, DVI, RGBS, YPbPr/VGA, S-Video, Composite
EIZO 26" COLOR LCD** 		26" HD type with LED Backlight ▶ High-Definition Full Multi-Modality ▶ 8.4 kg, 643 mm (W) x 369 mm (H) x 83 mm (D) ▶ Input Signal: BNC 3G-SDI, BNCx1, BNC (RGB C-Sync, Composite), S-Video, DVI-D ▶ Output signal: DVI 2, SDI 1/2, Component, Composite, S-Video

*Manufactured by NDS Surgical Imaging, LLC, USA.
**Manufactured by EIZO Corporation, Japan.

CARTS



Model	Product Description	
ITD-03 EUS Iso Plus		EUS cart ▶ Weight approx. 76 kg, Dimensions: 618 mm x 1500 mm x 624 mm (WxHxD) ▶ 2x endoscope hanger, 4x shelves ▶ 2,000 VA, Isolating transformer with insulation monitoring function
ITD-03 Iso Plus		Standard cart ▶ Weight approx. 88 kg, Dimensions: 618 mm x 1340 mm x 624 mm (WxHxD) ▶ 1x endoscope hanger, 3x shelves ▶ 2,000 VA, Isolating transformer with insulation monitoring function
ITD-00		Classic cart ▶ Weight approx. 70 kg, Dimensions: 614 mm x 1277 mm x 625 mm (WxHxD) ▶ 1x endoscope hanger, 3x shelves

Model	Product Description	
ITD-03 GAS		Uni-cart ▶ Weight approx. 35 kg, Dimensions: 618 mm x 1331 mm x 624 mm (WxHxD) ▶ 1x gas cylinder holder
ITD-03 Iso Plus		Uni-cart sonoprobe ▶ Weight approx. 40 kg, Dimensions: 540 mm x 1510 mm x 580 mm (WxHxD) ▶ 3x shelves, 1x monitor stand ▶ 660 VA, Isolating transformer

Manufactured by ITD GmbH, Germany.



FUJIFILM

FUJIFILM Europe GmbH

Heesenstr. 31, 40549 Düsseldorf, Germany
Tel.: +49 211-50 89 0, Fax: +49 211-50 89 8700
www.fujifilm-endoscopy.com
endoscopy_eu@fujifilm.com

Specifications are subject to change without notice. The name FUJIFILM and the FUJIFILM logo are trademarks of FUJIFILM Corporation. All other trademarks shown are trademarks of their respective owners. All rights reserved.
SAP 70170009236. 04/2021