




Where can PuraStat be used in GI Endoscopy?



PuraStat is a ready-to-use, peptide-based hydrogel, available in a 3 ml pre-filled syringe. PuraStat is licensed as a medical device for a variety of indications. Below is a visual representation of where PuraStat brings benefits, including hemostasis and bleeding prevention*. PuraStat can be used for upper and lower GI bleeds; also can be used intraprocedurally and prophylactically.

Clinical Applications:

- EMR/ESD
- Polypectomy
- Radiation Proctitis
- ERCP
- GAVE
- Mild to Moderate Bleeds
- Tumors
- Ulcers
- Strictures
- POEM
- Mallory-Weiss Syndrome
- Necrosectomy
- AVMs
- Peg Tubes



- 1 Anastomosis
- 2 Endoscopic Resection (EMR/ESD/polypectomy)
- 3 Endoscopic Retrograde Cholangiopancreatography (ERCP)
- 4 Necrosectomy
- 5 Radiation Proctopathy (RP)

- 6 Papillectomy
- 7 Peroral Endoscopic Myotomy (POEM)
- 8 Post-Dilation Bleeding
- 9 Post-Radiofrequency (RF) Treatment
- 10 Ulcers

* Following colonic or rectal ESD

1. Uraoka, T., Ochiai, Y., Fujimoto, A., et al. (2016) 'A novel fully synthetic and self-assembled peptide solution for endoscopic submucosal dissection-induced ulcer in the stomach.' *Gastrointest Endosc.* 83(6):1259-64. doi: 10.1016/j.gie.2015.11.015. Epub 2015 Dec 1

2. Subramaniam S, Kandiah K, Chedgy F, et al. A novel self-assembling peptide for hemostasis during endoscopic submucosal dissection: a randomized controlled trial. *Endoscopy.* 2021;53(1):27-35. doi:10.1055/a-1198-0558.

Distributed by:

3-D Matrix United States, 1234 Chestnut Street Suite 205,
Newton, MA 02464, www.3dmatrix.com

Please read carefully the IFU for indications and contraindications. Please see www.3dmatrix.com/ifu for our most up-to-date IFU.